



Source of information: SUEZ Degremon WEB site and Bernard Bon, Director of As Samra WWTP

Ambassade de Suisse en République d'Haïti Bureau de la coopération suisse




Spiez – 29/06/2017 – Georges Burri, SDC Responsable of DRR Haïti




Source of information: Wikipedia

Ambassade de Suisse en République d'Haïti
Bureau de la coopération suisse


The Hashemite Kingdom of Jordan






Source of information: SUEZ Degremon WEB site and Bernard Bon, Director of As Samra WWTP

Ambassade de Suisse en République d'Haïti Bureau de la coopération suisse





Source of information: SUEZ Degremon WEB site and Bernard Bon, Director of As Samra WWTP


Ambassade de Suisse en République d'Haïti
Bureau de la coopération suisse

The As Samra Wastewater Plant as per today has been built in two steps. The first infrastructure has been constructed between 2003 and 2008 and the second phase has been completed at the beginning of 2016. A third extension has already been designed and should enter soon in construction.

As Samra WWTP capacity and approximate cost:

Steps	Treatment capacity	Population coverage	Cost
N°1 (2003 – 2008)	~ 265'000 m3/day	~ 2,3 millions	~ 200'000 USD
N°2 (2012 – 2016)	~ 365'000 m3/day	~ 3,2 millions	~ 100'000 USD
N°3 (2018 - 2022)	~ 470'000 m3/day	~ 4,1 millions	7

The conception and construction of As Samra WWTP has been made through a Build, Operate and Transfer contract for 25 years effectiveness



Source of information: SUEZ Degremon WEB site and Bernard Bon, Director of As Samra WWTP


Ambassade de Suisse en République d'Haïti Bureau de la coopération suisse

The As Samra Wastewater Plant as the particularity to produce ~ 80 % of the energy requested for its operation. Part of this energy is produced by running turbines with the flow of the raw water affluent as well with the flow of the treated water effluent. In addition to this source of energy and additional production of electricity is made through generation with the biogas produced from the sludge.

The quality of the effluent of the WWTP compiles with WHO standard:

WATER QUALITY					
inlet		Crutter			
8005	637 mg/l	8005	5-30 mg/l		
TSS	649 mg/L	TSS	15-30 mg/L		
TN	100 mg/l	TN	15-30 mg/l		

The water after treatment goes to the King Talam Dam which is supplying irrigation water for the North oh the Jordan Valley.



Ambassade de Suisse en République d'Haïti Bureau de la coopération suisse

